

64 Cores Fiber Optic Joint Closure

Electronic Links International, Inc.
Interconnecting Components and Systems

MBN-FOSC-A12



VP: Michael Bennett: mbennett@electronic-links.com
Engineering: John Dee: johndee@electronic-links.com
Managing Director: Francesco Liburdi: fliburdi@electronic-links.com

ElectronicLinks
international inc
www.electronic-links.com

64 Cores Fiber Optic Joint Closure

- **Model: MBN-FOSC-A12**
- **Max Capacity: 64 Cores, 18 Ports SC Adapters**
- **PLC Splitter: 2x 1X8 Splitter**
- **Cable Hole: Input 2X Φ 18; Output 2 Holes (16x2*3mm drop cable) 4 Holes x Φ 18**
- **Cable Diameter: Φ 7.0- Φ 18.0mm**
- **Dimension: 315x200x120mm**

Cable Joint Enclosure Description

Cable Joint Enclosure widely used as the distribution and terminal connection in the FTTx communication network system. Cable Joint Enclosure provides fiber splicing, protection, splitting, distribution, fiber storage, fiber management integrates functions for the FTTX network. Cable Joint Enclosure is a perfect cost-effective solution-provider in the FTTx networks.

Cable Joint Enclosure Features

1. Total enclosed structure.
2. Material: PP, wet-proof, water-proof, dust-proof, anti-aging, protection level up to IP67.
3. Clamping for feeder cable and drop cable, fiber splicing, fixation, storage, distribution, etc all in one.
4. Cable, pigtails, and patch cords run through their paths without disturbing each other, micro type PLC splitter installation, and easy maintenance.
5. The distribution panel can be flipped up, and feeder cable can be placed by expression port, easy for maintenance and installation.
6. The box can be installed by way of wall-mounted or poled-mounted, suitable for both indoor and outdoor use.

Cable Joint Enclosure Application

CATV networks

Optical fiber communication

FTTX

Fiber optic network convergence

Optical fiber access network

Widely used in FTTH access network

Telecommunication networks

Data communications networks

Local area networks

Aerial, Direct buried, underground, pipeline, hand-holes, duct mounting, wall mounting.

For more details:

 www.electronic-links.com

Contact Us:

VP: Michael Bennett

 mbennett@electronic-links.com

Managing Director: Francesco Liburdi

 fliburdi@electronic-links.com